

20

25

30

35

SEQUENCE LISTING

PECEIVED

TECHCOMERICONSON

CTIVATED,

(1) GENERAL INFORMATION:

5 (i) APPLICANT: Lester, Henry A.

Davidson, Norman Kofuji, Paulo

10 (ii) TITLE OF INVENTION: INWARD RECTIFIER, G-PROTEIN ACTIVATED,
MAMMALIAN, POTASSIUM CHANNELS AND USES THEREOF

(iii) NUMBER OF SEQUENCES: 6

15 (iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: Flehr Hohbach Test Albritton & Herbert LLP
- (B) STREET: Four Embarcadero Center, Suite 3400
- (C) CITY: San Francisco
- (D) STATE: California
- (E) COUNTRY: United States
- (F) ZIP: 94111-4187

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: US 09/039,927
- (B) FILING DATE: 16-MAR-1998
- (C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/066,371
- (B) FILING DATE: 21-MAR-1993

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/614,801
- 40 (B) FILING DATE: 07-MAR-1996

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Trecartin, Richard F.
- (B) REGISTRATION NUMBER: 31,801
- 45 (C) REFERENCE/DOCKET NUMBER: A-63098-1/RFT

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: (415) 781-1989
- (B) TELEFAX: (415) 398-3249
- 50 (C) TELEX: 910 277299
 - (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
- 55 (A) LENGTH: 2070 base pairs
 - (B) TYPE: nucleic acid

TECH CENTER PORTERS (C) STRANDEDNESS: unknown (D) TOPOLOGY: unknown (ii) MOLECULE TYPE: DNA (genomic) 5 (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 32..1534 10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: GGCACGAGAA TCTGGATCTC CCCTCCGTAT T ATG TCT GCA CTC CGA AGG AAA Met Ser Ala Leu Arg Arg Lys 15 TTT GGG GAC GAT TAC CAG GTA GTG ACC ACT TCG TCC AGC GGT TCG GGC 100 Phe Gly Asp Asp Tyr Gln Val Val Thr Thr Ser Ser Ser Gly Ser Gly 10 15 20 148 Leu Gln Pro Gln Gly Pro Gly Gln Gln Gln Gln Leu Val Pro AAG AAG AAA CGG CAG CGG TTC GTG GAC AAG AAC GGT CGG TGC AAT GTG 196 Lys Lys Lys Arg Gln Arg Phe Val Asp Lys Asn Gly Arg Cys Asn Val 45 CAG CAC GGC AAC CTG GGC AGC GAG ACC AGT CGC TAC CTT TCC GAC CTC 244 Gln His Gly Asn Leu Gly Ser Glu Thr Ser Arg Tyr Leu Ser Asp Leu 30 60 65 TTC ACT ACC CTG GTG GAT CTC AAG TGG CGT TGG AAC CTC TTT ATC TTC 292 Phe Thr Thr Leu Val Asp Leu Lys Trp Arg Trp Asn Leu Phe Ile Phe 35 80 ATC CTC ACC TAC ACC GTG GCC TGG CTC TTC ATG GCG TCC ATG TGG TGG 340 Ile Leu Thr Tyr Thr Val Ala Trp Leu Phe Met Ala Ser Met Trp Trp 90 95 40 GTG ATC GCT TAT ACC CGG GGC GAC CTG AAC AAA GCC CAT GTC GGC AAC 388 Val Ile Ala Tyr Thr Arg Gly Asp Leu Asn Lys Ala His Val Gly Asn 105 110 45 TAC ACT CCC TGT GTG GCC AAT GTC TAT AAC TTC CCC TCT GCC TTC CTT 436 Tyr Thr Pro Cys Val Ala Asn Val Tyr Asn Phe Pro Ser Ala Phe Leu 120 125 TTC TTC ATC GAG ACC GAG GCC ACC ATC GGC TAT GGC TAC CGC TAC ATC 484 Phe Phe Ile Glu Thr Glu Ala Thr Ile Gly Tyr Gly Tyr Arg Tyr Ile 50 140 ACC GAC AAG TGC CCC GAG GGC ATC ATC CTT TTC CTT TTC CAG TCC ATC 532 Thr Asp Lys Cys Pro Glu Gly Ile Ile Leu Phe Leu Phe Gln Ser Ile 155 160

				TTC Phe 175					580
5				GCC Ala					628
10				GGA Gly					676
15				ATG Met				Lys	724
20				CCT Pro					772
				TTT Phe 255					820
25				TGC Cys					868
30				AGC Ser					916
35				GTG Val					964
40				GAT Asp					1012
				GAA Glu 335					1060
45				GTC Val					1108
50				ATG Met					1156
55				CAC His					1204

															ATT Ile		1252
5															ACA Thr	_	1300
10															CAA Gln		1348
15															AAA Lys		1396
20															TTG Leu 470		1444
20															GGG Gly		1492
25				AAA Lys													1534
30																FATTTG ATTCAT	1594 1654
	CAG	AGGA	CTC :	rtcat	rtga <i>i</i>	G TO	TTG	TACI	GTC	GTTG#	AACA	TGAG	TTAC	CAA A	AGGG	AGGACA	1714
35	TCAT	raag <i>i</i>	AAA (GCTA	ATAG:	TT GO	CATO	TAT	TATO	CACAT	CAA	GCAT	rgcaz	ATA	ATGTO	GCAAAT	1774
	TTTC	3CAT	TA (3TTTI	rctgo	GC AT	GATT	TAT	CAT A	rggc <i>i</i>	TAT	TTAT	TATTO	AA:	TATTO	CTGGAA	1834
40	AAAT	CATAT	TAA A	ATATA	ATAT'	TT G#	AAGTO	GAGA	TAT	TCTC	CCC	ATA	ATTTC	CTA A	ATATA	ATGTAT	1894
	TAAC	GCCA	AAC A	ATGAC	TGG#	AT AC	CTTT	CAG	G GCF	ACTAA	TAA	AATA	ATACA	ATG (CATAC	CATACA	1954
	TACA	ATGC	ATA T	rgcac	CAGA	CA CA	TAC	CAC	A CAT	PACTO	CATA	TAT	AAATA	AAC A	ATACC	CCATAC	2014
45	AAA	CATAT	TAT	ATCTA	ATA!	AA AA	ATTGT	GATO	TTI	TTGT7	CAA	AAA	\AAA/	AAA A	AAAA	AA.	2070

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 501 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- 55 (ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

5	Met 1	Ser	Ala	Leu	Arg 5	Arg	Lys	Phe	Gly	Asp 10	Asp	Tyr	Gln	Val	Val 15	Thr
3	Thr	Ser	Ser	Ser 20	Gly	Ser	Gly	Leu	Gln 25	Pro	Gln	Gly	Pro	Gly 30	Gln	Gly
10	Pro	Gln	Gln 35	Gln	Leu	Val	Pro	Lys 40	Lys	Lys	Arg	Gln	Arg 45	Phe	Val	Asp
	Lys	Asn 50	Gly	Arg	Cys	Asn	Val 55	Gln	His	Gly	Asn	Leu 60	Gly	Ser	Glu	Thr
15	Ser 65	Arg	Tyr	Leu	Ser	Asp 70	Leu	Phe	Thr	Thr	Leu 75	Val	Asp	Leu	Lys	Trp 80
20	Arg	Trp	Asn	Leu	Phe 85	Ile	Phe	Ile	Leu	Thr 90	Tyr	Thr	Val	Ala	Trp 95	Leu
	Phe	Met	Ala	Ser 100	Met	Trp	Trp	Val	Ile 105	Ala	Tyr	Thr	Arg	Gly 110	Asp	Leu
25	Asn	Lys	Ala 115	His	Val	Gly	Asn	Tyr 120	Thr	Pro	Cys	Val	Ala 125	Asn	Val	Tyr
	Asn	Phe 130	Pro	Ser	Ala	Phe	Leu 135	Phe	Phe	Ile	Glu	Thr 140	Glu	Ala	Thr	Ile
30	Gly 145	Tyr	Gly	Tyr	Arg	Tyr 150	Ile	Thr	Asp	Lys	Cys 155	Pro	Glu	Gly	Ile	Ile 160
35	Leu	Phe	Leu	Phe	Gln 165	Ser	Ile	Leu	Gly	Ser 170	Ile	Val	Asp	Ala	Phe 175	Leu
	Ile	Gly	Cys	Met 180	Phe	Ile	Lys	Met	Ser 185	Gln	Pro	Lys	Lys	Arg 190	Ala	Glu
40	Thr	·Leu	Met 195	Phe	Ser	Glu	His	Ala 200	Val	Ile	Ser	Met	Arg 205	Asp	Gly	Lys
	Leu	Thr 210	Leu	Met	Phe	Arg	Val 215	Gly	Asn	Leu	Arg	Asn 220	Ser	His	Met	Val
45	Ser 225	Ala	Gln	Ile	Arg	Cys 230	Lys	Leu	Leu	Lys	Ser 235	Arg	Gln	Thr	Pro	Glu 240
5 0	Gly	Glu	Phe	Leu	Pro 245	Leu	Asp	Gln	Leu	Glu 250	Leu	Asp	Val	Gly	Phe 255	Ser
50	Thr	Gly	Ala	Asp 260	Gln	Leu	Phe	Leu	Val 265	Ser	Pro	Leu	Thr	Ile 270	Cys	His
55	Val	Ile	Asp 275	Ala	Lys	Ser	Pro	Phe 280	Tyr	Asp	Leu	Ser	Gln 285	Arg	Ser	Met

	Gln	Thr 290	GIu	GIn	Phe	GIu	Val 295	Val	Val	Ile	Leu	300	GIY	IIe	Val	GLu
5	Thr 305	Thr	Gly	Met	Thr	Cys 310	Gln	Ala	Arg	Thr	Ser 315	Tyr	Thr	Glu	Asp	Glu 320
	Val	Leu	Trp	Gly	His 325	Arg	Phe	Phe	Pro	Val 330	Ile	Ser	Leu	Glu	Glu 335	Gly
10	Phe	Phe	Lys	Val 340	Asp	Tyr	Ser	Gln	Phe 345	His	Ala	Thr	Phe	Glu 350	Val	Pro
15	Thr	Pro	Pro 355	Tyr	Ser	Val	Lys	Glu 360	Gln	Glu	Glu	Met	Leu 365	Leu	Met	Ser
	Ser	Pro 370	Leu	Ile	Ala	Pro	Ala 375	Ile	Thr	Asn	Ser	180	Glu	Arg	His	Asn
20	Ser 385	Val	Glu	Cys	Leu	Asp 390	Gly	Leu	Asp	Asp	Ile 395	Ser	Thr	Lys	Leu	Pro 400
	Ser	Lys	Leu	Gln	Lys 405		Thr	Gly	Arg	Glu 410	Asp	Phe	Pro	Lys	Lys 415	Leu
25	Leu	Arg	Met	Ser 420	Ser	Thr	Thr	Ser	Glu 425	Lys	Ala	Tyr	Ser	Leu 430	Gly	Asp
30	Leu	Pro	Met 435	Lys	Leu	Gln	Arg	Ile 440	Ser	Ser	Val	Pro	Gly 445	Asn	Ser	Glu
	Glu	Lys 450	Leu	Val	Ser	Lys	Thr 455	Thr	Lys	Met	Leu	Ser 460	Asp	Pro	Met	Ser
35	Gln 465	Ser	Val	Ala	Asp	Leu 470	Pro	Pro	Lys	Leu	Gln 475	Lys	Met	Ala	Gly	Gly 480
	Pro	Thr	Arg	Met	Glu 485	Gly	Asn	Leu	Pro	Ala 490	Lys	Leu	Arg	Lys	Met 495	Asn
40	Ser	Asp	Arg	Phe 500	Thr											
	(2)	INFO	RMAT	MOIT	FOR	SEQ	ID N	10:3:								
45		(i)	(<i>I</i>	A) LE B) TY C) ST	CE CHENGTH PE: TRANI	I: 19 nucl EDNE	78 k eic SS:	ase acid unkn	pair l	s						
50		(ii)	MOI	ÆCUI	E TY	PE:	DNA	(gen	omic	:)						
			FEA	TURE												

(B) LOCATION: 488..1729

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

	GTC'	TCCC'	TGC	AAGG'	rcta:	rc a	CTTT	GCTC	TA	AACG.	AGGA	TTT.	ATTC	CCT	CTGC	CACTCA	60
5	AGG	CTGT	CCC	CCAG'	TTTC	CT C	GCAA	CCGGC	G CT	TCCT	CCTC	AGT	CCCT	GCC	CACA	CGCGCA	120
	CTC	CTCT	GCC	CCGC	GGTG	3C C	CCAG	CGCC	AG	CCCT	CCAG	CCA	GAGG	GAG	CCAG	GCACCA	180
10	GAC	GGCA(GCA	CCTG	GCTG	GA G	AGGT	rggg	C GG	GCCG.	AGGG	TGG	GGAT(CCG (CGGGZ	AACCGG	240
10	CGA	GTCG	GAG	CTGG	AGCA	G A	GCTG	GACCO	CAA	CCGC'	TAGC	AGC	AGAA'	rgg :	AGTC'	rcctga	300
	AAG	CCTG	CCG	GGGC'	rgat(GT G	AAAT:	rggg	CA'	rctg(CTTC	CAG'	TTGG'	rct (GTTT	CCTCCT	360
15	TTT	CTTG'	TAT	TTTC	TTCC	CT C	GCCA?	rtca(C CG'	TGGA	GTGA	ATT	ATTG	AAT (CTTG	CTCCGT	420
	TCC	GAGA	GAG	GCGA'	rcago	GA T	GGAG:	rgaac	CT	ACCC'	TGTC	CAC'	TACA	AGG 2	AAAA	GCACAA	480
20	AGA	AGAA		ACA Thr													529
25				TCC Ser													577
30				TTG Leu													625
30				AGG Arg 50													673
35				AAC Asn													721
40				ATC Ile													769
45				TTT Phe													817
50 ·				TGG Trp													865
				TCG Ser 130													913

						ACC Thr			961
5						GGG Gly			1009
10						GCC Ala 185			. 1057
15						AGG Arg			1105
20						GAT Asp			1153
						CAC His			1201
25						ACT Thr			1249
30						GGG Gly 265			1297
35						ATT Ile			1345
40						GCG Ala			1393
						ATC Ile			 1441
45						ACC Thr			1489
50						GAA Glu 345			1537
55						GAG Glu			1585

	CTT AGT GCC AAA GAG CTA GCG GAG CTG GCT AAC CGG GCA GAG GTG CCT Leu Ser Ala Lys Glu Leu Ala Glu Leu Ala Asn Arg Ala Glu Val Pro 370 375 380	1633
5	CTG AGT TGG TCT GTG TCC AGC AAA CTG AAC CAA CAT GCA GAA TTG GAG Leu Ser Trp Ser Val Ser Ser Lys Leu Asn Gln His Ala Glu Leu Glu 385 390 395	1681
10	ACA GAA GAG GAA GAG AAG AAC CCG GAA GAA	1729
	TGATGCTGGG CTCCTAGTGT GGATCAAGAA GTGTTCCTTC TAAGCTCATC CTCTGACAGA	. 1789
15	CATTACAGAG AACTGATATA TTTTTCCTCC TTCACTGCTT GGAAGAATTC ACCCAGAATT	1849
	CACCCACCC ATCTGGACCT AGTACATTCT GTTTGGGAAG GTCATCATTA ATTTTACTTA	1909
20	AAGTCGGCGC TGGAGAGATG ACGCCGCGGG CTAAGATGGT TTATTGTTCT TGCAGACGGC	1969
	CTGGGTTCA	1978
25	(2) INFORMATION FOR SEQ ID NO:4: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 414 amino acids	
30	(B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
35	Met Thr Met Ala Lys Leu Thr Glu Ser Met Thr Asn Val Leu Glu Gly 1 5 10 15	
40	Asp Ser Met Asp Gln Asp Val Glu Ser Pro Val Ala Ile His Gln Pro 20 25 30	
	Lys Leu Pro Lys Gln Ala Arg Asp Asp Leu Pro Arg His Ile Ser Arg 35 40 45	
45	Asp Arg Thr Lys Arg Lys Ile Gln Arg Tyr Val Arg Lys Asp Gly Lys 50 55 60	
	Cys Asn Val His His Gly Asn Val Arg Glu Thr Tyr Arg Tyr Leu Thr 65 70 75 80	
50	Asp Ile Phe Thr Thr Leu Val Asp Leu Lys Trp Arg Phe Asn Leu Leu 85 90 95	
	Ile Phe Val Met Val Tyr Thr Val Thr Trp Leu Phe Phe Gly Met Ile 100 105 110	

	Trp	Trp	Leu 115	Ile	Ala	Tyr	Ile	Arg 120	Gly	Asp	Met	Asp	His 125	Ile	Glu	Asp
5	Pro	Ser 130	Trp	Thr	Pro	Cys	Val 135	Thr	Asn	Leu	Asn	Gly 140	Phe	Val	Ser	Ala
	Phe 145	Leu	Phe	Ser	Ile	Glu 150	Thr	Glu	Thr	Thr	Ile 155	Gly	Tyr	Gly	Tyr	Arg 160
10	Val	Ile	Thr	Asp	Lys 165	Cys	Pro	Glu	Gly	Ile 170	Ile	Leu	Leu	Leu	Ile 175	Gln
15	Ser	Val	Leu	Gly 180	Ser	Ile	Val	Asn	Ala 185	Phe	Met	Val	Gly	Cys 190	Met	Phe
	Val	Lys	Ile 195	Ser	Gln	Pro	Lys	Lys 200	Arg	Ala	Glu	Thr	Leu 205	Val	Phe	Ser
20	Thr	His 210	Ala	Val	Ile	Ser	Met 215	Arg	Asp	Gly	Lys	Leu 220	Cys	Leu	Met	Phe
	Arg 225	Val	Gly	Asp	Leu	Arg 230	Asn	Ser	His	Ile	Val 235	Glu	Ala	Ser	Ile	Arg 240
25	Ala	Lys	Leu	Ile	Lys 245	Ser	Lys	Gln	Thr	Ser 250	Glu	Gly	Glu	Phe	Ile 255	Pro
30	Leu	Asn	Gln	Ser 260	Asp	Ile	Asn	Val	Gly 265	Tyr	Tyr	Thr	Gly	Asp 270	Asp	Arg
	Leu	Phe	Leu 275	Val	Ser	Pro	Leu	Ile 280	Ile	Ser	His	Glu	Ile 285		Gln	Gln
35	Ser	Pro 290	Phe	Trp	Glu	Ile	Ser 295	Lys	Ala	Gln	Leu	Pro 300	Lys	Glu	Glu	Leu
	Glu 305	Ile	Val	Val	Ile	Leu 310	Glu	Gly	Ile	Val	Glu 315	Ala	Thr	Gly	Met	Thr 320
40	Cys	Gln	Ala	Arg	Ser 325	Ser	Tyr	Ile	Thr	Ser 330	Glu	Ile	Leu	Trp	Gly 335	Tyr
45	Arg	Phe	Thr	Pro 340	Val	Leu	Thr	Met	Glu 345	Asp	Gly	Phe	Tyr	Glu 350	Val	Asp
	Tyr	Asn	Ser 355	Phe	His	Glu	Thr	Tyr 360	Glu	Thr	Ser	Thr	Pro 365	Ser	Leu	Ser
50	Ala	Lys 370	Glu	Leu	Ala	Glu	Leu 375	Ala	Asn	Arg	Ala	Glu 380	Val	Pro	Leu	Ser
	Trp 385	Ser	Val	Ser	Ser	Lys 390	Leu	Asn	Gln	His	Ala 395	Glu	Leu	Glu	Thr	Glu 400
55	Glu	Glu	Glu	Lys	Asn 405	Pro	Glu	Glu	Leu	Thr 410	Glu	Arg	Asn	Gly		

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

5		(A) L; B) T; C) S;	YPE : FRANI	nuc: DEDN	leic ESS:	acio unki	ď	rs							
10	(i	-	ATURI A) Ni B) L	AME/			14	35								
15	(x	i) SE	QUEN	CE D	ESCR:	IPTI	ON:	SEQ :	ID N	0:5:						
	CTGAGC	TGCC	GTTA	CATT	CA GO	GAGA	AACA	G CA	GTGT	CGGC	GGC'	rccc	TAP	CTCA	GAGGGA	60
20	ACCTAG	GGTA	CTGG	GGGA	GA TO	GGTG'	rcag	G GA	CATG	GACG	CCA	ACCC	CCA 2	AGGG'	TTTCTG	120
20	CTGCTG	GCTA	CTCT'	rctc'	rc cz	AGGC'	rcta(C TT	CTGT	CAT	ACG	GTCC2	ATA	rctc(CTAGGG	180
	GACCCT	GAAA	GCCT	AGGA	AC C	GACT	CTGG	C CA	TCCA:	rctc	TCC	GGA/	AGA '	TTAT	AACCCA	240
25	GAGTGC	TTCT	CAGG	GGGG	AA G	AATT'	rgaa	G CA	AAAC	CAGA	CCC	CGCA	GGA '	rccc	CGCTGC	300
	GGCCGC		Ala													349
30	CCG CC Pro Pro															397
35	TGT AA Cys As:															445
40	GAC CT														•	493
45	TTC TT							Thr								541
50	TGG TGG Trp Trj	p Leu														589
	ACC GCC Thr Ala															637

			GAG Glu								685
5			TGT Cys								733
10			ATG Met								781
15			CCC Pro								829
20			TCT Ser 180								877
			CGA Arg								925
25			TCC Ser								973
30			CTC Leu								1021
35		_	CCT Pro	_	_	_	_	_	_	_	1069
40			GCA Ala 260								1117
10			CTC Leu								1165
45			TCG Ser								1213
50			CTC Leu								1261
55			GAA Glu								1309

			ı Ala Ala		GAT GCC CAT CTC Asp Ala His Let	
5					GAG GAA GAA GGG Glu Glu Glu Gly 365	/ Ala
10		GGC AGG TGG Gly Arg Cys 370	s Gly Arg '		CAAGGAG CACAATGG	GCT 1455
	GCCACCCCA	GAGAGTGAGT (CCAAGGTGTG	ACTGGTTTCC	TCCCACCCC TGTG	GGCAGAC 1515
15	CAGGGGGCCG	GACTCAGGTA (CACAGAAGCT	GCGAGTGGAG	GTGGAAGAAG AGGA	AGGCAGG 1575
	CAGTGTCCCG	AGGAACAGCT A	AAAGTTGGGA	GAGGCCCGCT	GAGTCCAGGA TCGA	AGTAGGG 1635
20	AAGGCTGAGG '	TCCTGGTTTG A	AAGAGAGAGG	GTTGCAGGGC	GGGGTGAGAG AACA	ATGTCAG 1695
20	TCTGTCTGTG '	TTTGACCTTC A	ACATCGGTTC	ATGGGTGGAT	GGATGGACAG AAGG	SATGGGC 1755
	TCATGGGGGT '	TGATCGGGAA (GGTGGAGCAG	ATAGAGACAG	CCAATGGATA ATC	GCTCAGG 1815
25	TGGTAAGTGG (CTTGGCAGTC (GATGATCGTC	ACCTGCAGCA	CACCTTTGTG AGAA	ATCCAT 1875
	GGGCATCCTT '	TTCTTCCAGA :	TATAGGTAGC	CTCAAACCAG	GGAGCGTGGC TTAG	GGGAGCA 1935
30	GGCTGTCAGG '	TGGACTACCA (CCCCACTCA	CCTCCCTCA	ACTGGCCTCC CTGA	ATGTGTG 1995
30	ACACGCCTGC	CTAACTAGAG A	AAGAGAGCAC	TGGGTAGAGG	TGGACACAGG TGTG	
	CTCCCCAGTA 1	TCACTGTCCC A	ATGGCGAGAG	GTCAGAAAGG	CAAACAAACA ATGG	GGGGTAG 2115
35	ATGCTGAGCA	GGGAGGGGCC (CTGAAGCAGG	ACCTGGGGAC	AGCCAAGGAC AACT	ATTTTG 2175
	TGAGAGAGGA	ATGAAACCTT (SCAGGTCCTG	CCACAGAAGC	AAGAAGCAGA GGAA	AGGCCA 2235
4.0	TGGAGAGACT	TAATAAAGGG 1	TTTTACAAGG	GAAAAAAAA	AAAA AAAAAAAA	AAAAAA 2295
40	AAAAA					2301

(2) INFORMATION FOR SEQ ID NO:6:

45

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 376 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:
- Met Ala Gln Glu Asn Ala Ala Phe Ser Pro Gly Ser Glu Glu Pro Pro 1 5 10 15

	Arg	Arg	Arg	Gly 20	Arg	Gln	Arg	Tyr	Val 25	Glu	Lys	Asp	Gly	Arg 30	Cys	Asn
5	Val	Gln	Gln 35	Gly	Asn	Val	Arg	Glu 40	Thr	Tyr	Arg	Tyr	Leu 45	Thr	Asp	Leu
	Phe	Thr 50	Thr	Leu	Val	Asp	Leu 55	Gln	Trp	Arg	Leu	Arg 60	Leu	Leu	Phe	Phe
10	Val 65	Leu	Ala	Tyr	Ala	Leu 70	Thr	Trp	Leu	Phe	Phe 75	Gly	Val	Ile	Trp	Trp 80
15	Leu	Ile	Ala	Tyr	Gly 85	Arg	Gly	Asp	Leu	Glu 90	His	Leu	Glu	Asp	Thr 95	Ala
	Trp	Thr	Pro	Cys 100	Val	Asn	Asn	Leu	Asn 105	Gly	Phe	Val	Ala	Ala 110	Phe	Leu
20	Phe	Ser	Ile 115	Glu	Thr	Glu	Thr	Thr 120	Ile	Gly	Tyr	Gly	His 125	Arg	Val	Ile
	Thr	Asp 130	Gln	Cys	Pro	Glu	Gly 135	Ile	Val	Leu	Leu	Leu 140	Leu	Gln	Ala	Ile
25	Leu 145	Gly	Ser	Met	Val	Asn 150	Ala	Phe	Met	Val	Gly 155	Cys	Met	Phe	Val	Lys 160
30	Ile	Ser	Gln	Pro	Asn 165	Lys	Arg	Ala	Ala	Thr 170	Leu	Val	Phe	Ser	Ser 175	His
	Ala	Val	Val	Ser 180	Leu	Arg	Asp	Gly	Arg 185	Leu	Cys	Leu	Met	Phe 190	Arg	Val
35	Gly	Asp	Leu 195	Arg	Ser	Ser	His	Ile 200	Val	Glu	Ala	Ser	Ile 205	Arg	Ala	Lys
•	Leu	Ile 210	Arg	Ser	Arg	Gln	Thr 215	Leu	Glu	Gly	Glu	Phe 220	Ile	Pro	Leu	His
40	Gln 225	Thr	Asp	Leu	Ser	Val 230	Gly	Phe	Asp	Thr	Gly 235	Asp	Asp	Arg	Leu	Phe 240
45	Leu	Val	Ser	Pro	Leu 245	Val	Ile	Ser	His	Glu 250	Ile	Asp	Ala	Ala	Ser 255	Pro
	Phe	Trp	Glu	Ala 260	Ser	Arg	Arg	Ala	Leu 265	Glu	Arg	Asp	Asp	Phe 270	Glu	Ile
50	Val	Val	Ile 275	Leu	Glu	Gly	Met	Val 280	Glu	Ala	Thr	Gly	Met 285	Thr	Cys	Gln
	Ala	Arg 290	Ser	Ser	Tyr	Leu	Val 295	Asp	Glu	Val	Leu	Trp 300	Gly	His	Arg	Phe
55	Thr 305	Ser	Val	Leu	Thr	Leu 310	Glu	Asp	Gly	Phe	Tyr 315	Glu	Val	Asp	Tyr	Ala 320

	Ser	Phe	His	Glu	Thr 325	Phe	Glu	Val	Pro	Thr 330	Pro	Ser	Cys	Ser	Ala 335	Arg
5	Glu	Leu	Ala	Glu 340	Ala	Ala	Ala	Arg	Leu 345	Asp	Ala	His	Leu	Tyr 350	Trp	Ser
	Ile	Pro	Ser 355	Arg	Leu	Asp	Glu	Lys 360	Val	Glu	Glu	Glu _.	Gly 365	Ala	Gly	Glu
10	Gly	Gly 370	Arg	Cys	Gly	Arg	Trp 375	Ser								